



ENGEL Used Machinery

## duo 2050/1000

The machine is located in Bangladesh, not EUM machine, we will only provide contact to the owner. It does not have CE.

# Technical details

|                     |                      |
|---------------------|----------------------|
| Series              | <b>duo</b>           |
| Machine type        | <b>duo 2050/1000</b> |
| Drive               | <b>hydraulic</b>     |
| Year of manufacture | <b>2017</b>          |
| Location            | <b>Bangladesh</b>    |
| Availability        | <b>immediately</b>   |

|                         |                           |
|-------------------------|---------------------------|
| Injection unit type     | <b>Horizontal</b>         |
| Injection unit          | <b>2050</b>               |
| Injection material      | <b>Thermoplastics</b>     |
| Screw diameter          | <b>60 mm</b>              |
| max. injection capacity | <b>848 cm<sup>3</sup></b> |


|                      |                       |
|----------------------|-----------------------|
| Type of construction | <b>two plates</b>     |
| Tie-bar spacing      | <b>1400 x 1150 in</b> |
| Platen size (h x v)  | <b>1850 x 1810 mm</b> |
| Clamping force       | <b>10000 kN</b>       |
| Max. platen distance | <b>2300 mm</b>        |

## Robot viper

|                              |                   |
|------------------------------|-------------------|
| Series                       | <b>viper</b>      |
| Year of manufacture          | <b>2017</b>       |
| Z axis traverse stroke       | <b>2840 mm</b>    |
| Y axis traverse stroke       | <b>1900 mm</b>    |
| X axis demolding stroke      | <b>900 mm</b>     |
| C axis pneumatic swivel axis | <b>0-90 °</b>     |
| B axis                       | <b>+90,-180 °</b> |
| Nominal payload              | <b>29 kg</b>      |
| Interface                    | <b>rc300</b>      |



Leo Praher  
General Manager  
ENGEL Used Machinery



Leo Praher  
General Manager  
ENGEL Used Machinery